



HAND-
DISINFECTION

AHD 2000[®] G

Alcoholic hand disinfection



Product Information

Please read carefully!

AHD 2000® G

Ready for use
For professional use.

Active ingredient: Ethanol (denatured)

BAuA: Reg-Nr. N-85424

INGREDIENTS

100 g **AHD 2000® G** contains:
75 g ethanol denatured (active ingredient)
Other ingredients: Polyol fatty acid esters, perfume, lactic acid, water.

SCOPE OF APPLICATION

- hygienic and surgical hand disinfection
- efficacious against bacteria (incl. TB), fungi, enveloped and non-enveloped viruses, Rota-, Adeno-, Noro- and Poliovirus

INSTRUCTIONS FOR USE/DOSAGE

Apply externally and undiluted!

For hygienic hand disinfection:

Hands must be kept wet for the entire duration of application (at least 3 ml – 30 seconds)

For surgical hand disinfection:

Apply at least 5 ml **AHD 2000® G** to the hands and lower arms, keep moist during the entire application time, pay extra attention to the fingers and nails.

Duration: 1 1/2 minutes.

| Efficacy | Application time (minimum) |
|--|----------------------------|
| hygienic hand disinfection (EN 1500) | 30 s |
| surgical hand disinfection (EN 12791) | 1.5 min |
| virucidal activity against enveloped viruses (incl. HIV/HBV/HCV) * (EN 14476) | 30 s |
| limited spectrum of virucidal activity (incl. Rota-, Adeno-, and Norovirus)*(EN 14476) | 30 s |
| virucidal+ (EN 14476) | 1.0 min |

*acc. to recommendations of Robert-Koch-Institute Berlin, published in Federal Health Gazette 3/2017

WARNING AND STORAGE NOTICES

- Keep biocides away from children. Store disinfectant in a cool but frost-free place, well ventilated and dry. Do not use after expiration date.
- Highly flammable liquid and vapour. Causes severe eye irritation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Do not smoke. Keep containers tightly sealed. IF IN EYES: Rinse cautiously with water for several minutes. Rinse further after removal of any contact lenses present. If eye irritation persists: Seek medical advice.
- Do not apply to open wounds and to mucous membranes. Should, through improper use, the product have come into contact with any mucous membranes (e.g., eyes, throat, or stomach) or open wounds, rinse thoroughly with water and consult a doctor.
- If AHD 2000® G has been ingested orally: To dilute the preparation, immediately drink plenty of water and consult a doctor.

- Hands must be dry before using electrical equipment. Caution should be exercised when using **AHD 2000® G** on surfaces sensitive to alcohol.

PRODUCT FEATURES

- Broad spectrum of efficacy.
- Ethanol is effective against gram negative and gram positive bacteria, including mycobacteria, fungi and viruses. Ethanol is also effective against antibiotic-resistant bacterial strains (e.g., MRSA).
- Reliable efficacy in the presence of protein, serum and blood.
- Excellent skin compatibility, even with frequent use.

After work, the following products should be used. For skin care and regeneration: **Luphenil®**, for skin protection: **Majola® H5** cream.

Application plan surgical hand disinfection:

| Surgical hand disinfection | Product | Manner of application |
|---|---|---|
| pre-operative | Wasa® 2000 | Wet hands and lower arms, wash with Wasa® 2000 , rinse well, then dry. |
| pre-cleaning (not required in when hands are clean) | | |
| desinfection | AHD 2000® G | Apply at least. 5 ml AHD 2000® G to the hands and lower arms, keep moist during the entire application time, pay extra attention to the fingers and nails. Duration: 1 ½ minutes |
| post-operative | Wasa® 2000 | Wet hands and lower arms, wash with Wasa® 2000 , rinse well, then dry. |
| post-operative cleaning | | |
| Skin care and regeneration, skin protection | Luphenil® Majola®-H5-cream | Apply a thin film on hands/skin, rub in carefully. |

SPECIAL NOTICES

Use biocides safely.

Always read the label and product information before use.

SHIPPING UNIT/CONTAINER

20 x 125 ml bottle
12 x 500 ml bottle
12 x 700 ml bottle
6 x 1 litre bottle
2 x 5 litre canister

ACCESSORIES

Lydos-F wall-mounted dispenser for 500 ml bottle
Lydos-1000 wall-mounted dispenser for 1 litre bottle
Wall-mounted dispenser ELS for 500 ml bottle
Wall-mounted dispenser TLS 25 for 1 litre bottle

LYSOFORM
Seit ▪ Since ▪ Depuis 1900

Lysoform Dr. Hans Rosemann GmbH
Kaiser-Wilhelm-Str. 133, D-12247 Berlin
Telefon +49 30 77992-0
www.lysoform.com, e-mail: kontakt@lysoform.de